Contents

Aines, R.D., → Tingle, T.N. 222–225

AlDahan, A.A., Ounchanum, P., Morad, S.: Chemistry of micas and chlorite in Proterozoic acid metavolcanics and associated rocks from the Hästefält area, Norberg Ore district, central Sweden 19–34

Altherr, R., Henjes-Kunst, F., Matthews, A., Friedrichsen, H., Hansen, T.B.: O-Sr isotopic variations in Miocene granitoids from the Aegean: evidence for an origin by combined assimilation and fractional crystallization 528–541

Anovitz, L.M., → Moecher, D.P., et al. 92–106

Barnett, R.L., → Kerrich, R., et al. 555–559

Barth, A.P., Ehlig, P.L.: Geochemistry and petrogenesis of the marginal zone of the Mount Lowe Intrusion, central San Gabriel Mountains, California 192–204

Bernard-Griffiths, J., Peucat, J.J., Fourcade, S., Kienast, J.R., Ouzegane, K.: Origin and evolution of 2 Ga old carbonatite complex (Ihouhaouene, Ahaggar, Algeria): Nd and Sr isotopic evidence 339–348

Bickle, M.J., Wickham, S.M., Chapman, H.J., Taylor, H.P. Jr.: A strontium, neodymium and oxygen isotope study of hydrothermal metamorphism and crustal anatexis in the Trois Seigneurs Massif, Pyrenees, France 399–417

Blair, B.B., → Kerrich, R., et al. 555–559

Blanckenburg, F. v., Villa, I.M.: Argon retentivity and argon excess in amphiboles from the garbenschists of the Western Tauern Window, Eastern Alps 1–11

Bohrson, W.A., Clague, D.A.: Origin of ultramafic xenoliths containing exsolved pyroxenes from Hualalai Volcano, Hawaii 139–155

Bray, E.A. du: Garnet compositions and their use as indicators of peraluminous granitoid petrogenesis – southeastern Arabian Shield 205–212

Breemen, O. van, → Davidson, A. 291–299

Briqueu, L., → Pichavant, M., et al. 325–338

Cabanes, N., Mercier, J.-C.C.: Insight into the upper mantle beneath an active extensional zone: the spinel-peridotite xenoliths from San Quintin (Baja California, Mexico) 374–382

Cathelineau, M., Izquierdo, G.: Temperature–composition relationships of authigenic micaceous minerals in the Los Azufres geothermal system 418–428

Chapman, H.J., → Bickle, M.J., et al. 399–417

Clague, D.A., → Bohrson, W.A. 139–155

Clark, A.H., → Pichavant, M., et al. 300–324

Clark, A.H., → Pichavant, M., et al. 325–338

Colucci, M.T., → Davidson, J.P., et al. 429–445

Dachs, E., Metz, P.: The mechanism of the reaction 1 tremolite + 3 calcite + 2 quartz = 5 diopside + 3 CO_2 + 1 H_2O: results of powder experiments 542–551

Davidson, A., Breemen, O. van: Baddeleyite-zircon relationships in coronitic metagabbro, Grenville Province, Ontario: implications for geochronology 291–299

Davidson, J.P., Ferguson, K.M., Colucci, M.T., Dungan, M.A.: The origin and evolution of magmas from the San Pedro-Pellado Volcanic Complex, S. Chile: multicomponent sources and open system evolution 429–445

Davidson, P.M., → Nielsen, R.L., et al. 361–373

Dawson, J.B., Smith, J.V.: Metasomatised and veined upper-mantle xenoliths from Pello Hill, Tanzania: evidence for anomalously-light mantle beneath the Tanzanian sector of the East African Rift Valley 510–527

Demarchi, G., → Voshage, H., et al. 261–267

Dennis, P.F., → Elphick, S.C., et al. 490–495

Dungan, M.A., → Davidson, J.P., et al. 429–445

Ehlig, P.L., → Barth, A.P. 192–204

Elphick, S.C., Graham, C.M., Dennis, P.F.: An ion microprobe study of anhydrous oxygen diffusion in anorthite: a comparison with hydrothermal data and some geological implications 490–495

Ernst, R.E., Fowler, A.D., Pearce, T.H.: Modelling of igneous fractionation and other processes using Pearce diagrams 12–18

Essene, E.J., → Moecher, D.P., et al. 92–106

Evans, B., → Olgaard, D.L. 246–260

Ferguson, K.M., → Davidson, J.P., et al. 429–445

Fleet, M.E., MacRae, N.D.: Partition of Ni between olivine and sulfide: equilibria with sulfide-oxide liquids 462–469

Fourcade, S., → Bernard-Griffiths, J., et al. 339–348

Fowler, A.D., → Ernst, R.E., et al. 12–18

Francis, D., → Skulski, T., et al. 236–245

Frey, F.A., → West, H.B., et al. 383–397

Friedrichsen, H., → Altherr, R., et al. 528–541

Fyfe, W.S., → Kerrich, R., et al. 555–559

Garcia, M.O., → West, H.B., et al. 383–397

Graham, C.M., → Elphick, S.C., et al. 490–495

Grove, T.L., → Nielsen, R.L., et al. 361–373

Halliday, A.N., → Mahood, G.A. 183–191

Hansen, T.B., → Altherr, R., et al. 528–541

Heerden, L.A. van, Roex, A.P. le: Petrogenesis of picrite and associated basalts from the southern mid-Atlantic ridge 47–60

Henjes-Kunst, F., → Altherr, R., et al. 528–541

Hofmann, A.W., → Voshage, H., et al. 261–267

Hynes, A., → Skulski, T., et al. 236–245

Itaya, T., Takasugi, H.: Muscovite K-Ar ages of the Sanbagawa schists, Japan and argon depletion during cooling and deformation 281–290

Izquierdo, G., → Cathelineau, M. 418–428

Johannes, W., → Puziewicz, J. 156–168

Johnson, C.M., Lipman, P.W.: Origin of metaluminous and alkaline volcanic rocks of the Latir volcanic field, northern Rio Grande rift, New Mexico 107–128

Johnston, A.D., Wyllie, P.J.: Constraints on the origin of Archean trondhjemites based on phase relationships of Nûk gneiss with H_2O at 15 kbar 35–46

Kennedy, A., → West, H.B., et al. 383–397

Kerrich, R., Fyfe, W.S., Barnett, R.L., Blair, B.B., Willmore, L.M.: Reply to: "A discussion of corundum, Cr-muscovite rocks at O'Briens, Zimbabwe: the conjunction of hydrothermal desilicification and LIL-element enrichment-geochemical and isotopic evidence" 555–559

Kienast, J.R., → Bernard-Griffiths, J., et al. 339–348

Kontak, D.J., → Pichavant, M., et al. 300–324

Kontak, D.J., → Pichavant, M., et al. 325–338

Kuroda, N., Shiraki, K., Urano, H.: Ferropigeonite quartz dacites from Chichi-jima, Bonin Islands: Latest differentiates from boninite-forming magma 129–138

Lamb, W.M., Valley, J.W.: Granulite facies amphibole and biotite equilibria, and calculated peak-metamorphic water activities 349–360

Lipman, P.W., → Johnson, C.M. 107–128

MacRae, N.D., → Fleet, M.E. 462–469

Mahood, G.A., Halliday, A.N.: Generation of high-silica rhyolite: A Nd, Sr, and O isotopic study of Sierra La Primavera, Mexican Neovolcanic Belt 183–191

Matthews, A., → Altherr, R., et al. 528–541

Mazzucchelli, M., → Voshage, H., et al. 261–267

Mercier, J.-C.C., → Cabanes, N. 374–382

Metz, P., → Dachs, E. 542–551

Mevel, C.: Metamorphism in oceanic layer 3, Gorringe Bank, Eastern Atlantic 496–509

Moecher, D.P., Essene, E.J., Anovitz, L.M.: Calculation and application of clinopyroxene-garnet-plagioclase-quartz geobarometers 92–106

Morad, S., → AlDahan, A.A., et al. 19–34
Morogan, V., Woolley, A.R.: Fenitization at the Alnö carbonatite complex, Sweden; distribution, mineralogy and genesis 169–182
Nielsen, R.L., Davidson, P.M., Grove, T.L.: Pyroxene-melt equilibria: an updated model 361–373
Olgaard, D.L., Evans, B.: Grain growth in synthetic marbles with added mica and water 246–260
Olsen, S.N.: High-density CO_2 inclusions in the Colorado Front Range 226–235
Ounchanum, P., → AlDahan, A.A., et al. 19–34
Ouzegane, K., → Bernard-Griffiths, J., et al. 339–348
Pearce, T.H., → Ernst, R.E., et al. 12–18
Peucat, J.J., → Bernard-Griffiths, J., et al. 339–348
Pichavant, M., Kontak, D.J., Valencia Herrera, J., Clark, A.H.: The Miocene-Pliocene Macusani Vocanics, SE Peru. I. Mineralogy and magmatic evolution of a two-mica aluminosilicate-bearing ignimbrite suite 300–324
Pichavant, M., Kontak, D.J., Briqueu, L., Valencia Herrera, J., Clark, A.H.: The Miocene-Pliocene Macusani Volcanics, SE Peru. II. Geochemistry and origin of a felsic peraluminous magma 325–338
Puziewicz, J., Johannes, W.: Phase equilibria and compositions of Fe–Mg–Al minerals and melts in water-saturated peraluminous granitic systems 156–168
Rivalenti, G., → Voshage, H., et al. 261–267
Roex, A.P. le, → Heerden, L.A. van 47–60
Ross, J.A., Sharp, W.D.: The effects of sub-blocking temperature metamorphism on the K/Ar systematics of hornblendes: $^{40}Ar/^{39}Ar$ dating of polymetamorphic garnet amphibolite from the Franciscan Complex, California 213–221
Schreyer, W.: A discussion of: "Corundum, Cr-muscovite rocks at O'Briens, Zimbabwe: the conjunction of hydrothermal desilicification and LIL-element enrichment – geochemical and isotopic evidence" by Kerrich et al. 552–554
Sen, G.: Petrogenesis of spinel lherzolite and pyroxenite suite xenoliths from the Koolau shield, Oahu, Hawaii: Implications for petrology of the post-eruptive lithosphere beneath Oahu 61–91
Sharp, W.D., → Ross, J.A. 213–221
Shiraki, K., → Kuroda, N., et al. 129–138
Sinigoi, S., → Voshage, H., et al. 261–267
Skulski, T., Hynes, A., Francis, D.: Basic lavas of the Archean La Grande Greenstone belt: Products of polybaric fractionation and crustal contamination 236–245
Smith, J.V., → Dawson, J.B. 510–527
Sparks, R.S.J.: Petrology and geochemistry of the Loch Ba ring-dyke, Mull (N.W. Scotland): an example of the extreme differentiation of tholeiitic magmas 446–461
Tait, S.R.: Samples from the crystallising boundary layer of a zoned magma chamber 470–483
Takasugi, H., → Itaya, T. 281–290
Taniguchi, H.: Surface tension of melts in the system $CaMgSi_2O_6$–$CaAl_2Si_2O_8$ and its structural significance 484–489
Taylor, H.P. Jr., → Bickle, M.J., et al. 399–417
Terabayashi, M.: Actinolite-forming reaction at low pressure and the role of Fe^{2+}-Mg substitution 268–280
Tingle, T.N., Aines, R.D.: Beta track autoradiography and infrared spectroscopy bearing on the solubility of CO_2 in albite melt at 2 GPa and 1450° C 222–225
Urano, H., → Kuroda, N., et al. 129–138
Valencia Herrera, J., → Pichavant, M., et al. 300–324
Valencia Herrera, J., → Pichavant, M., et al. 325–338
Valley, J.W., → Lamb, W.M. 349–360
Villa, I.M., → Blanckenburg, F. v. 1–11
Voshage, H., Sinigoi, S., Mazzucchelli, M., Demarchi, G., Rivalenti, G., Hofmann, A.W.: Isotopic constraints on the origin of ultramafic and mafic dikes in the Balmuccia peridotite (Ivrea Zone) 261–267
West, H.B., Garcia, M.O., Frey, F.A., Kennedy, A.: Nature and cause of compositional variation among the alkalic cap lavas of Mauna Kea Volcano, Hawaii 383–397
Wickham, S.M., → Bickle, M.J., et al. 399–417
Willmore, L.M., → Kerrich, R., et al. 555–559
Woolley, A.R., → Morogan, V. 169–182
Wyllie, P.J., → Johnston, A.D. 35–46

Subject-Index V
List of Locations VII

Indexed in Current Contents/
Abstracted in Mineralogical Abstracts

Subject index

Actinolite 20, 214, 237, 274f., 499
aegirine-augite 171
albite 20, 214, 268, 529
albite glass, CO_2 solubility 222f.
Al-Cr partition, xenolith minerals 377
alkali basalt 374
alkalic cap lavas, Hawaii 383ff.
alkali feldspar 171, 346, 447
allanite 346
almandine, geobarometry 92ff.
Alnö intrusion 169ff.
alteration, micas, geothermal system 420f.
alunite, metamorphism 552f., 555f.
amphibole 62f., 171, 266, 349f., 472, 498, 510f., 517f.
–, Ar retentivity 1ff.
andalusite, hydrothermal 556
–, magmatic 306f., 325
–, pseudomorphous after alunite 552
andalusite + quartz 552
andalusite rock 552, 555
andesite 109f., 129f., 184, 237, 418f., 430, 446
andradite 94
ankaramite 393
anorthite, geobarometry 92f.
–, O diffusion 490ff.
anorthosite 193
–, Hualalai volcanics 139ff.
apatite 110, 171, 214, 293, 308, 335, 346, 472, 498
Ar dating, amphiboles 1ff.
–, polymetamorphic rocks 213f.
Ar depletion, deformation 287f.
Ar excess, amphiboles 1ff.
arfvedsonite 113
ash-flow tuffs 303ff., 325ff.
assimilation 429, 459
–, Aegean granitoids 528ff.
–, komatiites 236f.
–, Macusani volcanics 334f.
augite 110f., 131, 430
authigenic clay minerals, geothermal system 418ff.

Baddeleyite, coronites, U-Pb isotopes 291f.
barometers, application 101f.
baryte 557
basalt 109, 184, 240, 510f.
–, experim. melting 364f.
–, Mid-Atlantic ridge 47ff.
beidellite-nontronite 308
benmoreite 383
beta track autoradiography, CO_2 in melts 222f.
biotite 20, 110, 159f., 171, 207, 227, 293, 305, 335, 350, 430, 529
biotite granite 403f.
boninite 129ff.
boudinage 556
brunsvigite 29

Calcite 171
–, diopside formation 542f.
caldera lake sediments 185
carbonatite 169ff., 339ff.
celadonite 423
chalcopyrite 63
chamosite 29
chemical analysis
–, actinolite, metabasite 271
–, alkali-rich metavolcanics 23
–, amphibole, fenites 173
–, –, granulites 351
–, –, Latir volcanics 117
–, –, Pello peridotite 517, 519
–, –, polymetamorphic 218
–, andalusite, Macusani volcanics 314
–, apatite, Macusani volc. 315
–, ash-flow tuffs, Macusani 326
–, augite, Chichi-jima 132
–, baddellyite, coronites 294
–, basalts, Mid-Atlantic ridge 52
–, biotite, granitic melts 160
–, –, Macusani volc. 312
–, –, metavolcanics 23
–, –, San Pedro-Pellado lavas 435
–, boninite, Chichi-jima 134
–, carbonatites, Ahaggar 341
–, chlorite, metabasites 271
–, –, metavolcanics 29
–, chromite, Pello peridotite 519
–, clinopyroxene, fenites 173
–, –, granulites 353
–, –, Hualalai xenoliths 145
–, –, Koolau lavas 71
–, –, Laacher See nodules 478
–, –, ring-dyke 451
–, –, xenoliths 376
–, cordierite, granitic melts 160
–, –, Macusani volcanics 314
–, cordierite-mica schists 23
–, coronites, Grenville 292
–, dacite, Chichi-jima 134
–, dikes, Balmuccia 262
–, diopside, peridotite 516, 519
–, –, wehrlite 521
–, enstatite, peridotite 516
–, epidote, metabasite 271
–, feldspars, fenite 177
–, –, Latir volcanics 112
–, felsite, ring-dyke 456
–, ferropigeonite, Chichi-jima 132
–, Fe-Ti oxides, Mauna Kea lavas 388
–, –, ring-dyke 455
–, garnet, granitoids 208
–, –, Koolau lavas 78
–, –, Koolau veins 91
–, –, Mt. Lowe intrusion 194
–, glass, experim. gneiss melting 41
–, –, Laacher See 475
–, –, ring-dyke 455
–, hornblende, Mt. Lowe intrusion 194
–, –, San Pedro lavas 435
–, ilmenite, Macusani volc. 315
–, K-feldspars, granulites 354
–, lavas, Archean 239
–, –, Hawaii 385f.
–, –, Hualalai 141
–, –, Pello 512
–, micas, fenites 176
–, –, granulites 352
–, –, Latir volc. 116
–, –, Pello peridotite 517
–, muscovite, Macusani volc. 312
–, –, metavolcanics 27
–, Nb-rutile, Macusani volc. 315
–, nepheline, fenites 177
–, olivine, Hualalai xenoliths 145
–, –, Koolau lavas 65
–, –, Koolau veins 91
–, –, Mauna Kea lavas 388
–, –, MORB 50
–, –, peridotite 516, 519
–, –, ring-dyke 451
–, –, San Pedro lavas 435
–, –, wehrlite 521
–, –, xenoliths 376
–, orthopyroxene, Chichi-jima 132
–, –, granulites 353
–, –, Koolau lavas 67
–, –, Koolau veins 91
–, –, San Pedro lavas 435
–, –, xenoliths 145, 376
–, peridotites, Balmuccia 262
–, phlogopite, metavolcanics 23
–, –, wehrlite 521
–, pigeonite, Chichi-jima 132
–, –, ring-dyke 451
–, plagioclase, Hualalai xenoliths 145
–, –, Laacher See nodules 478
–, –, Macusani volc. 309
–, –, Mauna Kea lavas 388
–, –, MORB 50
–, –, ring-dyke 450
–, –, San Pedro lavas 435
–, prehnite, metabasite 271
–, pumpellyite, metabasite 271
–, pyroxenes, Latir volcanics 114
–, quartz dacite, Chichi-jima 134
–, sanidine, Laacher See nodules 478
–, –, Macusani volc. 309
–, –, ring-dyke 450
–, sillimanite, Macusani volc. 314
–, spinel, granitic melts 163
–, –, Hualalai xenoliths 145
–, –, Koolau lavas 75
–, –, Macusani volc. 315
–, –, peridotite 516
–, –, xenoliths 376
–, syenites, Ahaggar 341
–, tephra, Laacher See 475
–, tourmaline, Macusani volc. 314
–, volcanic rocks, Latir 119
–, –, San Pedro-Pellado 432
–, xenoliths, Hualalai 141
–, –, Pello peridotite 523
–, zircon, coronites 294
chlorite 20f., 171, 214, 273, 420f., 504, 529
chloritite 552, 556
chromite 517
Cl, amphiboles from oceanic layers 503
clinochlore 29
clinopyroxene 62f., 131, 139f., 148, 243, 346, 350, 364, 374, 386, 472, 497, 517f.

clinopyroxene barometers 96f.
clinopyroxenite 63f., 139f., 379
CO_2, albite melt 222f.
–, migmatites 229f.
collision, granitoid genesis 528f.
comendite 110
composite peridotite 512
compressibility, metamorphic minerals 95f.
contamination, mantle magma 344
cordierite 20, 162, 308, 335
coronite metagabbro, Zr minerals 291f.
corundum 552f., 555f.
–, hydrothermal 556
corundumite 555
crustal assimilation, Latir lavas 118f.
crustal contamination, Archean basic lavas 236ff.
–, magmas 429f.
crustal magmas, peraluminous 334
crystal fractionation 118f.
–, Archean granitoids 538f.
–, Archean lavas 242
–, Mauna Kea lavas 392f.
–, model, San Pedro-Pellado lavas 436f.
crystallization, magma chamber 480f.
crystallization sequence, Hualalai xenoliths 145f.
cummingtonite 1
cumulate pyroxenite 89
cumulates 139f., 498
–, formation 154

Dacite 129f., 418f., 430f.
deformation, oceanic crust gabbro 505
density, upper mantle, influence by metasomatism 510f.
desilicification, komatiite 552f.
diabantite 29
diaspore 554f.
differentiation, boninite magmas 129ff.
–, greenstone belts 236f.
–, igneous, systems 361f.
–, magma/wall rock interaction 188
–, tholeiite magma 450ff.
diffusion, O in anorthite 490f.
dikes 530
–, Balmuccia tectonites 262ff.
diopside 510f.
–, experim. formation 542ff.
–, geobarometry 92f.
diopside-anorthite melt, surface tension measurement 484f.
diorite 498, 529
dissolution features, experim. diopside formation 545
dumortierite 556
dunite 262, 510
–, Hualalai xenoliths 139f.
–, Koolau xenoliths 61ff.
dykes 170f.
–, Pearce diagrams 15

Edenite 517
enstatite 378, 514
epidote 20, 214, 270, 529
–, granitoids 44
exhalite 552
exsolution textures, xenolithic pyroxenes 139f., 151f.

Fayalite 450
–, geobarometry 93f.
felsite 446ff.
Fe-Mg exchange, xenolith minerals 378
Fe^{2+}/Mg substitution, metabasites 268ff.
fenite 170ff.
fenitization 170ff.
ferrogabbro 497
ferropigeonite 129f.
ferrosilite, geobarometry 92ff.
fluid fugacity calculation, granulites 356
fluid inclusions, authigenic geothermal minerals 425
–, migmatites 227f.
fluids, fenitization 179
–, metamorphic processes 226ff.
fluorite 171
fractional crystallization 529
–, ring-dyke magma 459
fractionation, low-pressure, Archean basalts 236
fuchsite rock 552, 555

Ga/Al fractionation 554, 557
gabbro 261, 497ff.
garbenschist, amphiboles 1f.
garnet 63, 176, 214, 293
–, granitoids 205f.
garnet amphibolite, Ar dating 213f.
garnetite 64
garnet peridotite equilibration temp. 82
geobarometry, clinopyroxe-garnet 92ff.
geochronology, coronitic gabbro 295f.
–, In'Ouzzal granulites 340
–, Ivrea Zone 261f.
–, Sanbagawa schists 281ff.
–, Trois Seigneurs 401ff.
geothermometry, Hualalai xenoliths 151f.
–, Koolau xenoliths 81f.
glass, granite melting 162
–, ring-dyke 448f.
–, tephra 472f.
gneiss 2f., 171, 193, 227, 401
–, experimental melting 35f.
grain-growth experim. in marbles 246ff.
granite 110, 403f.
granitic melts, phase equilibria 156ff.
granitoid petrogenesis, Aegean, assimilation 528ff.
–, garnets 205f.
granodiorite 194, 403, 529
greenstone belt 236f.
grossular, geobarometry 92ff.

Harzburgite 90, 262, 510f.
hauyne 472
hawaiite 383f.
hedenbergite 450
–, geobarometry 92f.
hematite 21
Hercynian plutonites, Pyrénées 402f.
hercynite 304, 335
high-density inclusions, migmatites 229f.
H_2O activities, granulites 351f.
honeycomb structure, smectite 422
hornblende 110f., 194, 430, 517
–, K-Ar ages 3ff.
hyaloclastites 129f.
hydrothermal activity, low-pH 552, 555
hydrothermal Al-minerals 556
hydrothermal alteration, Serifos pluton 530f.

Igneous fractionation 12ff.
ignimbrite 184
ijolite 169ff.
illites 420f.
ilmenite 308, 335, 350, 498, 510
intracaldera tuff, San Pedro-Pellado 430
I-type granitoids, origin 528ff.

Jarosite 557

Kaolinite 419f.
K-Ar ages, Macusani volcanics 302
–, metamorphic amphiboles 3ff.
–, Sanbagawa schists 281f.
K-Ar dating, hornblende 213f.
kataphorite 517
katungite 510f.
K-feldspar 171, 350
kimberlite 510f.
kinetics, grain growth 248f.
K-micas 419f.
komatiite 236f.
–, alteration 552f., 555f.
kyanite 93, 554

Lavas, Andes 430f.
–, Archean dykes 236ff.
–, Hawaii 385ff.
–, Koolau 61f.
–, Hualalai 141
–, La Primavera 184ff.
–, Latir field 109ff.
–, MORB 47f.
–, Pello 510ff.
laumontite 269
lawsonite 214
lepidomelane 24
leptites 19f.
leucogranite 328
lherzolite 89, 262, 510f.

Mafic inclusions, rhyolite 447ff.
magma chamber, crystallization and transport phenomena 470ff.
–, high-Si rhyolites 187f.
magma evolution, San Pedro-Pellado 441
magma mixing 116f., 441, 528f.
magma segregation 484f.
magma source, Mt. Lowe granitoids 198
magmatic evolution, Macusani volcanics 312ff., 334f.
magnetite 386, 450, 477
mantle peridotite 261f., 497
–, metasomatism 510ff.
mantle tectonite 261
mantle xenoliths, metasomatism 510ff.
marble 19
–, grain growth 246ff.
margarite 555
melanite 171
melilitite 511
melt, granitic 159ff.
–, surface tension 484ff.
melteigite 169ff.
melting relations, granite-H_2O-CO_2 system 358

melt production, peraluminous 200
metabasites, petrology 268ff.
metamorphism, Archean basic lavas 236ff.
–, K-Ar geochronology 1ff.
–, Karmutsen area 269ff.
–, oceanic layer 501f.
–, Pyrénées 399ff.
–, Sanbagawa Belt 282f.
metasomatism, Al-rich rocks, O'Briens 552, 555
–, upper mantle 510ff.
–, –, nature 524
meta-volcanics, layer-silicates 20f.
mica 472
mica-harzburgite 514
mica-schists 19f., 227
microcline 20, 171, 227
migmatite 171, 227, 401
mixed layers, illite/smectite 420f.
Mn-chlorite 22
molasse 529
molecular proportion ratio diagrams 12
monacite 308, 335
monzodiorite 194
monzogranite 529
monzonite 194, 530
MORB, picrite petrogenesis 47f.
mugearite 383f.
muscovite 20f., 174, 306, 554, 556
–, metamorphic, K-Ar ages 284
mylonite, oceanic layer 500

Natroalunite 557
Nb-rutile 308
Nd isotope dating, Ahaggar syenite/carbonatites 343
–, Balmuccia ultramafic rocks 263f.
–, La Primavera lavas 185f.
nepheline, fenites 171
nephelinite 511
Ni, MORB olivines 50
–, partition between olivine/sulfide 462f.
Ni/Fe exchange, experim. between olivine/sulfide 464f.
nucleation, experim. diopside formation 543f.

Obsidian 304, 327
ocean floor, picrites 47f.
oceanic crust, metamorphism 497ff.
oceanic layer 496f.
O diffusion, anorthite 490ff.
O isotope data, Aegean granitoids 534f.
oligoclase 171
olivine 48, 62ff., 110, 143, 237, 364, 374, 386, 430, 497, 510, 515
–, Ni-partition 462f.
olivine melilitite 511
olivine metagabbro 292f.
olivine nephelinite 511
olivine tholeiite 153
olivine websterite 142
ophiolite 529
order-disorder, micas, influence on α-H_2O 354
orogenic granitoids, origin 528ff.
orthoclase 171, 194
orthopyroxene 62ff., 131, 139f., 148, 243, 350, 364, 374, 430, 497
–, megacrysts 142
orthopyroxenite 90
osumilite 308

Partial melting, Aegean granitoids 538f.
–, granitoid petrogenesis 199
–, Ivrea peridotites 262, 264
–, Macusani volcanics 334
–, rhyolite petrogenesis 189
Pearce diagrams, igneous fractionation 12f.
penninite 29
pentlandite 63
peraluminous magmas 300ff., 319, 325f.
peridotite, metasomatism 510ff.
–, partial melting 36f.
–, xenoliths 374f.
phase relations, experim. basalt melting 370f.
phengite 268
phenocrysts, Andean lavas 430
–, Latir lavas 109f.
phlogopite 20f., 62f., 171, 266, 352, 510ff.
phyllite, Pyrénées, geochronology 410
picrite, mid-Atlantic ridge 47ff.
pigeonite 132, 451
pillow lavas 48f., 129
plagioclase 21, 41, 48, 109f., 131, 139f., 149, 171, 214, 227, 237, 274, 304, 350, 364, 386, 430, 447f., 472, 497f., 529
plagioclase lherzolite 64
prehnite 272
pumice 185, 471
pumpellyite 270f.
–, formulae 276
pyrite 557
pyrophyllite 556
pyroxene-melt equilibria, model 361f.
pyroxene thermodynamics 361f.
pyroxenite 169f., 262, 513
–, Koolau xenoliths 61ff.
pyrrhotite 63, 350

Quartz 20, 92, 110, 131, 171, 194, 227, 237, 268, 304, 350, 425
–, diopside formation 542f.
–, granitoids, O isotopes 535f.
quartz dacite, differentiation 129ff.
quartz latite 115f.
quartz monzonite 530

Rb-Sr data, Trois Seigneurs plutonites 404
Rb-Sr isotope system, Aegean granitoids 532f.
recrystallization, marble 247f.
REE, ash-flow tuffs 332
–, Balmuccia ultramafic rocks 264
–, carbonatite/syenite association, Ahaggar 341
–, granitoid garnets 210
–, Mt. Lowe intrusion 197
–, obsidian 332
–, Pello xenoliths 523
rhyolite 109f., 303, 418f., 446f.
–, high-Si 183ff.
ring-dyke 171f.
–, Mull 446ff.
ripidolite 29
rutile 214, 553, 555

Sanidine 110, 187, 304, 450, 472
scoria 510f.
scorzalite 556
shale 401
sheridanite 29
shield volcano Koolau 61f.
–, Mauna Kea 383f.
siderophyllite 24
sillimanite 93, 307, 335
sinter, siliceous 556f.
Skaergaard intrusion, comparison to Mull ring-dyke 460
skarn iron ores 19f.
slate 401
smectite 419f.
Sm-Nd dating, Trois Seigneurs Massif 413
–, ultramafitites, Balmuccia 263f.
sövite 171f.
sphene 110, 214, 237, 268, 346
spinel 62, 147f., 364, 498, 510f., 518
spinel harzburgite 89
spinel lherzolite, Koolau xenoliths 61ff.
spinel peridotite 262f.
Sr isotope dating, Ahaggar carbonatites 342
–, La Primavera lavas 185f.
subduction 528f.
substitutions, illites 420
–, metabasites 268f.
surface tension, melts 484ff.
syenite 193
–, carbonatite association 339f.

Talc 499
tephra 471
textures, ash-flow tuffs 304
thermal expansion, metamorphic minerals 95f.
thermodynamics, geobarometric equilibria 93ff.
–, granulite minerals 355f.
–, peraluminous magma 320f.
–, pyroxenes 361f.
tholeiite, Hawaii 393ff.
tholeiitic basalt 139f., 236f.
thuringite 29
titanite 171, 472
tonalite, origin 35ff.
tourmaline 308, 335, 556
trace elements, ash-flow tuffs 330
–, granitoid garnets 208
–, Hawaii lavas 385
–, Latir lavas 119f.
–, MORB 51f.
–, San Pedro-Pellado lavas 433
trachyte 383
transport phenomena, magma chamber 480f.
tremolite 355
–, diopside formation 542ff.
–, dissolution 547
tridymite 364
trondhjemite, origin 35ff.
tuff 110, 184f., 303f.
–, intracaldera 430

Underplating 261
U-Pb data, Zr minerals 295

U-Pb dating, syenite/carbonatite association, Ahaggar 342f.
urtite 169ff.

Veining, upper mantle 510ff.
virgilite 304
volcanics, Andes 301f.
volcanoes, Andes 301, 430

Websterite 89, 142, 263
wehrlite 89, 142, 498, 516
welded tuff 446
wollastonite 94, 176

Xenoliths 374ff.
–, equilibration temp. 522
–, Hualalai 139ff.
–, Koolau basalts 61ff.
–, metasomatism 510ff.

Zircon 113, 308, 498
–, coronites, U-Pb isotopes 291f.
zonation, magma chamber 481
zoning, granitoid garnets 209
zunyite 557

List of locations

Adirondack Mts., New York 350
Aegean 530
Agly Massif, Pyrénées 400
Ahaggar, Algeria 340
Aliamanu, Koolau 62
Alnö Island, Sweden 170
Andes 301, 430
Armykon Hill, Tanzania 511
As brygge, Alnö 170
Asemi River, Sanbagawa 283
Assjön, Alnö 170
Aston-Hospitalet Massif, Pyrénées 400

Baja California, Mexico 375
Baldissero, Ivrea Zone 261
Balmuccia, Ivrea Zone 261
Barang, Alnö 170
Beinn a'Grhaig, Mull 447
Beinn Chaisgidie, Mull 447
Beinn Talaidh, Mull 447
Bergslagen, Sweden 20
Bonin Isl., Japan 130
Bouvet Triple Junction, Mid-Atlantic 48

Canigou Massif, Pyrénées 400
Chichi-jima, Bonin Isl. 130
Colorado Front Range 227
Cordillera Oriental, Andes 301
Corrabheinn, Mull 447
Crete, Aegean 530
Crucero Field, Andes 301

Delos, Aegean 531
Dozan River, Sanbagawa 283

Eledoi, Tanzania 511
Engaruka Basin, Tanzania 511

Finero, Ivrea Zone 261
Franciscan Complex, California 214
Fukiage-dani, Chichi-jima 130
Futami-Ko, Chichi-jima 130

Gelai, Tanzania 511
Gettysburg Mt., Gorringe 497
Glen Cannel, Mull 447
Gorringe Bank, Atlantic 497
Grenville Prov., Ontario 292

Habbah, Arabian Shield 205
Hamakua, Hawaii 384
Hartung, Alnö 170
Hästefält area, Sweden 20
Hawaii 384
Hawaiiloa, Koolau 62
Horningsholm, Alnö 170
Hualalai, Hawaii 140, 384

Ihouhaouene, Ahaggar 340
Ikaria, Aegean 531
In 'Ouzzal, Ahaggar 340
Ivrea Zone, W-Alps 261

Kaau, Koolau 62
Kalihi, Koolau 62
Karmutsen area, Vancouver Isl. 269
Kebad, Arabian Shield 205
Kilauea, Hawaii 384
Klamath Mts., California 214
Kohala, Hawaii 384
Koolau, Oahu 62
Kopepe-hama, Chichi-jima 130
Kos, Aegean 531

Laacher See, Eifel 471
Lac Coutaceau, Quebec 237
La Grande Belt, Quebec 237
Lake Natron, Tanzania 511
Lalarasi Hill, Tanzania 511
Landshuter Huette, Tauern 2
La Primavera, Mex. 184
Lashaine, Tanzania 511
Latir Field, N. Mexico 108
Laupahoehoe, Hawaii 384
Laurium/Attica, Greece 530
Loch Ba, Mull 447
Loolmurwak, Tanzania 511
Los Azufres, Mexico 184, 419
Los Humeros, Mexico 184

Macusani Field, Andes 301
Madha, Arabian Shield 205
Mahail, Arabian Shield 205
Makalapa, Koolau 62
Mauna Kea, Hawaii 384
Mauna Loa, Hawaii 384
Mikazuki-yama, Chichi-jima 130
Milas, Pyrénées 400
Miyano-kama, Chichi-jima 130
Mount Lowe Intrusion, California 193
Mull, Scotland 447
Mykonos, Aegean 531

Nakayama-toge, Chichi-jima 130
Natron Basin, Tanzania 511
Naxos, Aegean 531
Norberg, Bergslagen 20

Oahu, Hawaii 62
O'Briens, Zimbabwe 552, 555
Ogami-yama, Chichi-jima 130
Oldoinyo Lengai, Tanzania 511
Olmani, Tanzania 511
Omura, Chichi-jima 130
Oregon Dome, Adirondacks 350
Ormonde Mt., Gorringe 497

Pali, Koolau 62
Panoche Pass, Franciscan Complex 214
Pellado, Chile 430
Pello Hill, Tanzania 511
Peloponnesus, Greece 530
Pfitscher Joch, Tauern 2
Picotani Field, Andes 301
Pyrénées 400

Querigut, Pyrénées 400
Questa Caldera, N. Mexico 108

Rift Valley, E. Africa 511
Rio Botacura, Chile 430
Rio Colorado, San Pedro-Pellado 430
Rio Grande Rift, N. Mex./Colorado 108

Sakai-uru, Chichi-jima 130
Salt Lake, Koolau 62
Samos, Aegean 530
Sanbagawa, Shikoku, Japan 282
San Gabriel Mts., California 193
Sangre de Cristo Mts., N. Mexico 108
San Juan Volcanic Field, Colorado 108
San Pedro-Pellado Complex, Chile 430
San Quintin, Baja California 375
Serifos, Aegean 531
Sesia Valley, Ivrea Zone 261
Shigure-dam, Chichi-jima 130
Smedsgarden, Alnö 170
Stornaset, Alnö 170

Tafshah, Arabian Shield 205
Tanzanian Craton 511
Taos Plateau, Colorado 108
Tarban, Arabian Shield 205
Tatara, Chile 430
Tatsumi-wan, Chichi-jima 130
Tauern, Austria 2
Tinos, Aegean 531
Trois Seigneurs Massif, Pyrénées 401
Tsuri-hama, Chichi-jima 130

Ulupau, Koolau 62

Vancouver Isl., Canada 269

Zayd, Arabian Shield 205
Zemmgrund, Tauern 2